

Message

From: Palmer, Darren [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=3622E53CD1A74ACEBEE3B4238934F632-PALMER, CHARLES]
Sent: 10/18/2022 5:39:38 PM
To: amber.mcdaniel@jcdh.org; Mark Watson [mark.watson@jcdh.org]; Howanitz, Jason [jason.howanitz@jcdh.org]
Subject: Draft Final Network Plan Response
Attachments: 2022.10.Palmer.Alabama.JCDH Network Plan Response.docx

The only parts to glance over that are probably of most interest are the cover letter, and then the following sections in the technical review in order of appearance:

- at the front - network changes, public comments, PM2.5 FEM.
- near the middle - the SO2 specific section which mirrors the cover letter
- near the end - the EJ and ARP sections (which you have previously seen), and
- then at the very end, Ryan added a QA section.

Everything else has remained essentially the same as last year.

I am starting this document routing through the signature chain in parallel to your review since we only have a week to get Caroline's signature on it. I can set up a time to discuss any of it this week however since it will take a few days to get through my immediate management.

Darren Palmer
USEPA - Region 4 | Air & Radiation Division | Air Data & Analysis Section
(404) 562-9052 | <http://www.epa.gov/region4>